



L202

New Media Player

Specifications

V1.0

Revision History

Document Version	Hardware Version	Revision Date	Note
V1.0		2024/5	New edition

Overview

L202 is new series of media player, which integrated with sender and player. You can send content over 4G and Wifi.

Specification

- Two outputs for up to 1.3million pixels
- 1 audio output
- Supports both LED and LCD display
- Play content over LAN, 4G, wireless internet or hotspot
- Release content via PC, phone and PAD
- Send content to LED Cluster and remote control display
- Remote monitor for playing status and real-time image
- 4-core processor, main frequency 1.9GHz, 2GB of running memory, 16GB of internal storage space
- Supports Wifi AP hotspot and Wifi STA mode
 - Search and connect name begin with L20 under WiFi AP mode
 - Connect the same Wifi that L200 connects to on your phone under WiFi STA mode
- Supports one 4K(30HZ) and four 1080P
- Video, picture, text advertisement and notice can be inserted while



the program is playing

Appearance



Front




Back

Official website: www.linsn.com

Add: Floor 15&16, Jiajiahao Business Building, No. 10168, Shennan Blvd,
Nanshan District, Shenzhen



Tel: +86-0755-86183590/ 4008836968



No	Instruction
1	4G antenna (optional)
2	WIFI antenna
3	USB3.0, USB port
4	Network port for connecting internet
5	EXT, reserved
6	Audio, output
7	BT button, hold and press to reset
8	TF card for extending RAM, up to 64G
9	BT_LED, bluetooth indicator. Flashing indicates that the player is waiting to be connected
10	DC 12V, 12V power port
11	HDMI input for HDMI input source
12	Audio, input
13	Red for power, Green for working status
14-15	1-2, outputs
16	CTRL_TypeC, for internal setup
17	CR2032, RTC for battery

Dimensions

Official website: www.linsn.com
 Add: Floor 15&16, Jiajiahao Business Building, No. 10168, Shennan Blvd,
 Nanshan District, Shenzhen
 Tel: +86-0755-86183590/ 4008836968



Specifications

Power	Input	DC 12V
	Power consumption	20W
Working	Temp	-20°C ~ 70°C

Official website: www.linsn.com

Add: Floor 15&16, Jiajiahao Business Building, No. 10168, Shennan Blvd,
Nanshan District, Shenzhen

Tel: +86-0755-86183590/ 4008836968

Environment	Hum	0%RH ~ 95%RH
Dimensions	Dimensions	209.5* 176.5 * 47
	Net weight	0.70 Kg
Packing	Packing	Protective foam and carton
	Carton Dimensions	340X180X125MM

Media decode format

- VP9 Profile-2 supports up tp8Kx4K@24fps
- H.265 HEVC MP-10@L5.1 supports up tp8Kx4K@24fps
- AVS2-P2 Profile supports up tp4Kx2K@60fps
- H2.64 AVC HP@L5.1 supports up tp4Kx2K@30fps
- MPEG-4 ASP@L5 supports up tp1080P@60fps
- WMV/VC-1 SP/MP/AP supports up tp1080P@60fps
- AVS-P16(AVS+)/AVS-P2 JiZhun Profile supports up
tp1080P@60fps
- MPEG-2 MP/HL supports up tp1080P@60fps
- MPEG-1 MP/HL supports up tp1080P@60fps
- RealVideo 8/9/10supports up tp1080P@60fps
- MJPEG and JPEG unlimited pixel resolution decoding

Official website: www.linsn.com

Add: Floor 15&16, Jiajiahao Business Building, No. 10168, Shennan Blvd,
Nanshan District, Shenzhen

Tel: +86-0755-86183590/ 4008836968



-Supports *.mkv、*.wmv、*.mpg、*.mpeg、*.dat、*.avi、*.mov、*.iso、*.mp4、*.rm、*.jpg

Instruction: The above is the decoding format supported theoretically, and the specific effect needs to be determined according to the actual situation

Declaration

All rights reserved © 2024 Lingxingyu Technology Development Co., Ltd. All rights reserved.

Without the explicit written permission of our company, no unit or individual is allowed to copy, copy, or extract part or all of the content of this document without authorization. It shall not be disseminated in any form.



is a registered trademark of Lingxingyu Technology.

Without the written permission of our company or the trademark owner, no unit or individual shall use, copy, modify, disseminate, transcribe or infringe on the entire or part of the appealed trademark in any way, nor shall it be bundled with other products for sale.

This document is intended to assist you in understanding and using the product. In order to better match the actual product, we may modify or change the content at any time without prior notice. Please refer to the actual product.

Welcome to choose products that use Lingxingyu Technology. If you have any questions or suggestions during use, please contact us through official channels, and we will do our best to provide support and evaluate the adoption of your valuable suggestions.

Official website: www.linsn.com

Add: Floor 15&16, Jiajiahao Business Building, No. 10168, Shennan Blvd,
Nanshan District, Shenzhen

Tel: +86-0755-86183590/ 4008836968